THE AUSTRALIAN JOURNAL OF EXPERIMENTAL BIOLOGY AND MEDICAL SCIENCE

VOLUME XXXIV

AUTHOR INDEX

Atkinson, N. Antibacterial substances from flowering plants.
3. Antibacterial activity of dried Australian plants by a rapid direct plate test, 17.

Atkinson, N., and Bullas, L. R. Lysogenicity and lysis patterns in the salmonellas.
6. The occurrence of S. *bovis-morbificans* of phage group 6 (Atkinson and Bullas), 225.
7. A bacteriophage grouping scheme for S. *bovis-morbificans* (Atkinson), 231.
8. Bacteriophage grouping of 167 strains of S. *bovis-morbificans* (Atkinson and Bullas), 349.
9. The indicator strains of the bacteriophage groups of S. *bovis-morbificans* (Atkinson), 361.
10. S. *potsdam* (Atkinson and Bullas), 461.

Atkinson, N., and Bullas, L. R. Salmonella bacteriophages.
3. Two new bacteriophages of S. *adelaide*, 27.
4. Some bacteriophages of S. *bovis-morbificans*, 445.
5. Some bacteriophages of S. *potsdam*, 455.

Atkinson, N. The occurrence of Salmonella types in Australia.
11. Types found among 3,340 strains, 369.

Barford, H., and Eden, E. Low protein diets and sulphur metabolism, 269.

Bentley, G. A. A study of the inhibitory action of adrenaline.
1. Effects on the carbohydrate metabolism of isolated rabbit intestine, 485.

Bielschowsky, F., *see* Bielschowsky, M.

Bielschowsky, M., and Bielschowsky, F. The New Zealand strain of obese mice: their response to stilboestrol and to insulin, 181.

Binet, F. E., *see* Hudson, B.

Blackburn, C. R. B., *see* Watson, L.C.A., Firkin,, B. G.

Bolliger, A., and Gross, R. Water-soluble compounds (non-keratins) associated with the skin flakes of the human scalp, 219.

Brading, I. The use of tannic acid to link blood group substances to group O red cells, 157.

Bullas, L. R., *see* Atkinson, N.

Burnet, Sir F. M., and Lind, P. E. Comparative study of recombinants of different types of influenza A virus with the strain WSE, 1.

Coats, D. A., *see* Reich, M.

Cotter, H., *see* Walsh, R. J.

Day, A. J., Wilkinson, G. K., and Schwartz, C. J. The effect of toluidine blue on serum lipids and lipoproteins in rabbits, 415.

Day, A. J., and Wilkinson, G. K. Severity of atherosclerosis in rabbits in relation to serum lipids and to aorta cholesterol content, 423.

Dineen, J. K., Hilton, J., and Robertson, J. S. The pancreatic lesion in adult mice infected with a strain of pleurodynia virus.
4. Further studies upon the response of the pancreas to the simultaneous production of amylase and virus, 43.

Dorman, D. C., *see* Stanley, N. F.

Durie, E. B., *see* Frey, D. M.

Eden, E., *see* Barford, H.

Fantl, P., and Marr, A. G. The preservation of coagulation factors in human plasma, 433.

Firkin, B. G., and Blackburn, C. R. B. Identification of a cold agglutinin as a β globulin, 407.

Frey, D. M., and Durie, E. B. The isolation of keratinophilic fungi, including *Microsporum gypseum*, from Australian soil, 199.

Gershon, S., *see* Trethewie, E. R.

Gross, R. Water-soluble compounds (non-keratins) associated with the plumage of the pigeon (*Columbia livia*), 65.

Gross, R., *see also* Bolliger, A.

Hilton, J., *see* Dineen, J. K.

Hudson, B., and Binet, F. E. The accuracy of eosinophil counts, 479.

Jarrett, I. G., Potter, B. J., and Packham, A. Effects of pancreatectomy in sheep, 133.

Kaldor, I., *see* Walsh, R. J.

Landgrebe, F. W., *see* Waring, H.

Larkin, M., *see* Stanley, N. F.

Lind, P. E., *see* Burnet, Sir F. M.

Lippay, F. Photoelectric device for the recording of diameter changes of blood vessels *in situ*, 301.

McDonald, I. R., *see* Reich, M.

McKelvie, D., *see* Nayler, W. G.

McLean, D. M. Serological group reactions of Murray Valley encephalitis virus, 71.

Marr, A. G., *see* Fantl, P.

Morell, D. B., and Stewart, M. The removal of iron from haemins, 211.

Morris, B. The absorption of fatty chyle and artificial fat emulsions from the peritoneal cavity, 173.

Morris, L., *see* Waring, H.

Moss, F. Adaptation of the cytochromes of *Aerobacter aerogenes* in response to environmental oxygen tension, 395.

Mykytowycz, R. The effect of season and mode of transmission on the severity of myxomatosis due to an attenuated strain of the virus, 121.

Nayler, W. G. The action of adrenaline and noradrenaline on the isolated toad heart, 247.

Nayler, W. G. The action of strophanthin-G and digoxin on energy production in the isolated toad heart, 377.

Nayler, W. G., and McKelvie, D. A method for the study of cardiac metabolism and efficiency in the toad, *Bufo marinus*, 239.

Nelson, J. F., *see* Rose, S.

Packham, A., *see* Jarrett, I. G.

Ponsford, J., *see* Stanley, N. F.

Potter, B. J., *see* Jarrett, I. G.

Reader, R. A micro method for the determination of complement, 257.

Reich, M. The electrophoretic mobility of haemoglobin and its derivatives and the effect of their addition to the serum in various animal species, 343.

Reich, M., Coats, D. A., and McDonald, I. R. Experimental nephritis in dogs: serial changes observed in the serum protein fractions, urine and renal architecture following the injection of nephrotoxic serum, 323.

Reich, M. The interaction of haemoglobin with serum proteins as shown by electrophoresis. Changes observed in nephritic children and dogs, 151.

Reid, R. T. W. Electron microscopy of glomeruli in nephrotoxic serum nephritis, 143.

Robertson, J. S., *see* Dineen, J. K.

Rose, S., and Nelson, J. Control of thyroid stimulating hormone release, 81.

Rose, S., and Nelson, J. Goitrogenic action of propyl-thiouracil, 105.

Rose, S., and Nelson, J. Hydrocortisone and A.C.T.H. release, 77.

Rose, S., and Nelson, J. F. Possible humoral mediators for the release of A.C.T.H. in stress, 205.

Rose, S., and Nelson, J. F. Protein metabolism and hypoglycaemia, 33.

Schwartz, C. J., *see* Day, A. J.

Shulman, A., and Trethewie, E. R. The effect of amiphenazole on respiration and blood pressure of the decerebrate cat, 315.

Shulman, A. Further aspects of bemegride activity and its relation to barbiturate action, 471.

Stanley, N. F. and others. Variants of *Poliovirus hominis*.

1. Avirulent variants of types I and III (Stanley, Dorman and Ponsford), 277.
2. The association of time of onset of paralysis with particle size (Stanley, Dorman, Ponsford and Larkin), 285.
3. Peaks of onset of paralysis with a newly-isolated type II strain (R 980), (Stanley, Dorman, Ponsford and Larkin), 293.
4. Inactivation by heat, ultraviolet light and formaldehyde (Stanley, Dorman, Ponsford and Larkin), 297.
5. Isolation of the heat-resistant variant (Stanley, Dorman, Ponsford and Larkin), 411.

Stephens, G., *see* Waring, H.

Stewart, M., *see* Morell, D. B.

Trautner, E. M., *see* Trethewie, E. R.

Trethewie, E. R., Trautner, E. M., and Gershon, S. The effect of succinate on the number of circulating eosinophils in man and in the cat, 109.

Trethewie, E. R., *see also* Shulman, A.

Venkatachalam, P. S., Brading, I., George, E. P., and Walsh, R. J. An experiment in rats to determine whether iron is absorbed only in the ferrous state, 389.

Walsh, R. J., Kaldor, I., and Cotter, H. The effect of ambient temperature on haemoglobin concentration, 59.

Waring, H., Morris, L., and Stephens, G. The effect of pituitary posterior lobe extracts on the blood pressure of the pigeon, 235.

Waring, H., and Landgrebe, F. W. Observations on initial extraction of posterior lobe pituitary powders relevant to the one-multiple theories of pituitary hormone production, 263.

Watson, L. C. A., and Blackburn, C. R. B. The pressure and calcium concentration of the cerebrospinal fluid of the rabbit, 53.

Watson, L. C. A. The production of prolonged hypoglycaemia in the rabbit, 49.

Wilkinson, G. K., *see* Day, A. J.

Wills, P. A. Sodium and potassium in Australian foods, 165.

SUBJECT INDEX

A.C.T.H. and hydrocortisone release (Rose and Nelson), 77.

A.C.T.H. in stress, possible humoral mediators for the release of (Rose and Nelson), 205.

Adrenaline, a study of the inhibitory action of.

1. Effects on the carbohydrate metabolism of isolated rabbit intestine (Bentley), 485.

Adrenaline and noradrenaline, the action of, on the isolated toad heart (Nayler), 247.

Amiphenazole, the effect of, on respiration and blood pressure of the decerebrate cat (Shulman and Trethewie), 315.

Antibacterial substances from flowering plants.

3. Antibacterial activity of dried Australian plants by a rapid direct plate test (Atkinson), 17.

Atherosclerosis in rabbits, severity of, in relation to serum lipids and to aorta cholesterol content (Day and Wilkinson), 423.

Bacteriophages, Salmonella, *see* Salmonella bacteriophages.

Barbiturate action, further aspects of bemegride activity and its relation to (Shulman), 471.

Bemegride activity, further aspects of, and its relation to barbiturate action (Shulman), 471.

Blood group substances, the use of tannic acid to link, to group O red cells (Brading), 157.

Blood pressure of the pigeon, the effect of pituitary posterior lobe extracts on the (Waring, Morris and Stephens), 235.

Blood vessels, diameter changes of, photoelectric device for the recording of, *in situ* (Lippay), 301.

Carbohydrate metabolism, *see* Metabolism, carbohydrate.

Cardiac metabolism, 1: a method for the study of, in the toad, *Bufo marinus* (Nayler and McKelvie), 239.

Cardiac metabolism, 2: amines. The action of adrenaline and noradrenaline on the isolated toad heart (Nayler), 247.

Cardiac metabolism, 3: glycosides. The action of strophanthin-G and digoxin on energy production in the isolated toad heart (Nayler), 377.

Cerebrospinal fluid in the rabbit, the pressure and calcium concentration of the (Watson and Blackburn), 53.

Cholesterol content, severity of atherosclerosis in rabbits in relation to serum lipids and to aorta (Day and Wilkinson), 423.

Chyle, fatty, and artificial fat emulsions, the absorption of, from the peritoneal cavity (Morris), 173.

Coagulation factors in human plasma, the preservation of (Fantl and Marr), 433.

Complement, a micro method for the determination of (Reader), 257.

Cytochromes of *Aerobacter aerogenes*, adaptation of the, in response to environmental oxygen tension (Moss), 395.

Diets, low protein, and sulphur metabolism (Barford and Eden), 269.

Digoxin and strophanthin-G, the action of, on energy production in the isolated toad heart (Nayler), 377.

Encephalitis virus, serological group reactions of Murray Valley (McLean), 71.

Eosinophil counts, the accuracy of (Hudson and Binet), 479.

Eosinophils, circulating, in man and in the cat, the effect of succinate on the number of (Trethewie, Trautner and Gershon), 109.

Fat emulsions, artificial, and fatty chyle, the absorption of, from the peritoneal cavity (Morris), 173.

Foods, Australian, sodium and potassium in (Wills), 165.

Fungi, keratinophilic, including *Microsporum gypseum*, the isolation of, from Australian soil (Frey and Durie), 199.

βGlobulin, identification of a cold agglutinin as a (Firkin and Blackburn), 407.

Goitrogenic action of propyl-thiouracil (Rose and Nelson), 105.

Haemins, the removal of iron from (Morell and Stewart), 211.

Haemoglobin, the interaction of, with serum proteins as shown by electrophoresis. Changes observed in nephritic children and dogs (Reich), 151.

Haemoglobin and its derivatives, the electrophoretic mobility of, and the effect of their addition to the serum in various animal species (Reich), 343.

Haemoglobin concentration, the effect of ambient temperature on (Walsh, Kaldor and Cotter), 59.

Hydrocortisone and A.C.T.H. release (Rose and Nelson), 77.

Hypocalcaemia in the rabbit, the production of prolonged (Watson), 49.

Hypoglycaemia, protein metabolism and (Rose and Nelson), 33.

Influenza A virus, comparative study of recombinants of different types of, with the strain WSE (Burnet and Lind), 1.

Insulin and stilboestrol; the New Zealand strain of obese mice, their response to (Bielschowsky and Bielschowsky), 181.

Iron from haemins, the removal of (Morell and Stewart), 211.

Iron is absorbed only in the ferrous state, an experiment in rats to determine whether (Venkatachalum, Brading, George and Walsh), 389.

Keratinophilic fungi, *see* Fungi, keratinophilic.

Keratins, non-, *see* Non-keratins.

Lipids, serum and lipoproteins in rabbits, the effect of toluidine blue on (Day, Wilkinson and Schwartz), 415.

Lipids, serum, severity of atherosclerosis in rabbits in relation to, and to aorta cholesterol content (Day and Wilkinson), 423.

Lysogenicity and lysis patterns in the Salmonellas.

6. The occurrence of S. *bovis-morbificans* of phage group 6 (Atkinson and Bullas), 225.
7. A bacteriophage grouping scheme for S. *bovis-morbificans* (Atkinson), 231.
8. Bacteriophage grouping of 167 strains of S. *bovis-morbificans* (Atkinson and Bullas), 349.
9. The indicator strains of the bacteriophage groups of S. *bovis-morbificans* (Atkinson), 361.
10. S. *potsdam* (Atkinson and Bullas), 461.

Metabolism, carbohydrate, of isolated rabbit intestine, effects of adrenaline on the (Bentley), 485.

Metabolism, protein, and hypoglycaemia (Rose and Nelson), 33.

Microsporum gypseum, *see* Fungi, keratinophilic.

Murray Valley encephalitis, *see under* Encephalitis.

Myxomatosis due to an attenuated strain of the virus, the effect of season and mode of transmission on the severity of (Mykytowycz), 121.

Nephritis, electron microscopy of glomeruli in nephrotoxic serum (Reid), 143.

Nephritis, experimental, in dogs: serial changes observed in the serum protein fractions, urine and renal architecture following the injection of nephrotoxic serum (Reich, Coats and McDonald), 323.

Non-keratins, water-soluble compounds associated with the plumage of the pigeon (*Columba livia*) (Gross), 65.

Non-keratins, water-soluble compounds associated with the skin flakes of the human scalp (Bolliger and Gross), 219.

Noradrenaline and adrenaline, the action of, on the isolated toad heart (Nayler), 247.

Ouabain, *see* Strophanthin-G.

Pancreatectomy in sheep, effects of (Jarrett, Potter and Packham), 133.

Pancreatic lesion in adult mice infected with a strain of pleurodynia virus.

4. Further studies upon the response of the pancreas to the simultaneous production of amylase and virus (Dineen, Hilton and Robertson), 43.

Pituitary hormone production, observations on initial extraction of posterior lobe pituitary powders relevant to the one-multiple theories of (Waring and Landgrebe), 263.

Pituitary posterior lobe extracts, the effect of, on the blood pressure of the pigeon (Waring, Morris and Stephens), 235.

Pleurodynia virus, the pancreatic lesion in adult mice infected with a strain of, *see* Pancreatic lesion, etc.

Poliovirus hominis, variants of.

1. Avirulent variants of types I and III (Stanley, Dorman and Ponsford), 277.
2. The association of time of onset of paralysis with particle size (Stanley, Dorman, Ponsford and Larkin), 285.
3. Peaks of onset of paralysis with a newly-isolated type II strain (R 980), (Stanley, Dorman, Ponsford and Larkin), 293.
4. Inactivation by heat, ultra violet light and formaldehyde (Stanley, Dorman, Ponsford and Larkin), 297.
5. Isolation of the heat-resistant variant (Stanley, Dorman, Ponsford and Larkin), 411.

Potassium and sodium in Australian foods (Wills), 165.

Propyl-thiouracil, goitrogenic action of (Rose and Nelson), 105.

Protein metabolism, *see* metabolism, protein.

Proteins, serum, the interaction of haemoglobin with, as shown by electrophoresis. Changes observed in nephritic children and dogs (Reich), 151.

Respiration and blood pressure of the decerebrate cat, the effect of amiphenazole on (Shulman and Trethewie), 315.

Salmonella bacteriophages.

3. Two new bacteriophages of S. *adelaide* (Atkinson and Bullas), 27.
4. Some bacteriophages of S. *bovis-morbificans* (Atkinson and Bullas), 445.
5. Some bacteriophages of S. *potsdam* (Atkinson and Bullas), 455.

Salmonella types in Australia, the occurrence of.

11. Types found among 3,340 strains (Atkinson), 369.

Salmonellas, lysogenicity and lysis patterns in the, *see under* Lysogenicity.

Serum lipids, *see* Lipids, serum.

Serum protein fractions, *see under* Nephritis, experimental.

Serum proteins, *see* Proteins, serum.

Sodium and potassium in Australian foods (Wills), 165.

Stilboestrol and insulin; the New Zealand strain of obese mice, their response to (Bielschowsky and Bielschowsky), 181.

Stress, possible humoral mediators for the release of A.C.T.H. in (Rose and Nelson), 205.

Strophanthin-G and digoxin, the action of, on energy production in the isolated toad heart (Nayler), 377.

Succinate, the effect of, on the number of circulating eosinophils in man and in the cat (Trethewie, Trautner and Gershon), 109.

Sulphur metabolism, low protein diets and (Barford and Eden), 269.

Tannic acid, the use of, to link blood group substances to group O red cells (Brading), 157.

Thyroid stimulating hormone release, control of (Rose and Nelson), 81.

THE GRIFFIN PRESS